

Stichwortverzeichnis

- 3er-Konferenz 270
- 802.1p 206, 210
- 802.1Q 29, 205, 206
- 802.3 29, 204
- µ-Law 79
- A**
- A-Law 79
- A/D-Wandler 76
- AAA 104
- Abmeldeprozess 144, 255
- Abmeldung 144, 255
- Absender-Socket 59
- Accounting 104
- ACK 117
- ADPCM 83
- Analog/Digital-Wandler 76
- Analyse-Software 215
- Analysefenster 220
- Antwort-Ports 58
- Anwendungs-multiplexing 55
- Anzeigefilter 227
- Application-Server 110
- Audio Video Protocol 135, 165
- Ausfallsicherheit 201
- Authentifizierung 104, 138
- Autorisierung 104
- AVP 165
- B**
- B-Kanal 134
- Best Effort 45, 203
- Binding 143
- Bitübertragungsschicht 35
- Branch 129
- Branch-Parameter 125
- Broadcast-Adresse 48
- Buffer 78
- BYE 117
- C**
- Call-Forking 99
- Call-ID 123, 126
- CANCEL 117
- Capture-Datei 222
- Capture-Filter 227
- Capture-Treiber 222
- CC 92
- Challenge 139, 252
- Challenge-Verfahren 138
- Class of Service 206, 208
- Client 93
- Client-Server-Prinzip 93, 115
- CoDec 77
- CODEC 77, 78
- Coder 76
- Command-Sequence-Number 125
- Contact-Parameter 143
- CoS 206
- Country Code 92
- CSeq 125
- Circuit Switch System 16
- D**
- D-Kanal 134
- D/A-Wandlung 76
- Datenrahmen 36
- Datenrate 190, 191, 192, 193
- Decoder 76
- DEI 206
- Dekodierer 76
- Delay 194, 196, 198
- DHCP 50
- DHCP-Acknowledge 52
- DHCP-Adressvergabe 52
- DHCP-Client 50
- DHCP-Discover 52
- DHCP-Methoden 53
- DHCP-Offer 52
- DHCP-Optionen 54

-
- DHCP-Pakete 250
 - DHCP-Prozess 52, 249
 - DHCP-Request 52
 - DHCP-Server 50
 - Dialog 94, 126
 - Dialog-ID 131
 - Dialog-Kennung 132
 - Dienstgüteparameter 189
 - Differentiated Services Code Point 211
 - Differentiated Services Field 213
 - Digest 139
 - Display-Filter 227
 - DND 264
 - Do Not Disturb 264
 - Domain Name Server 50
 - Drop eligible indicator 206
 - DS-Feld 213
 - DSCP 211, 213
 - Dynamic Host Configuration Protocol 50
 - dynamische Ports 58

 - E
 - E.164 92, 93, 98, 102
 - Echo 200
 - Empfänger-Report 67
 - Ethernet 29, 36
 - Ethernet-Frame 204
 - Event 133
 - Expires 136

 - F
 - Fair Queueing 211
 - FAX 111
 - FAX-Übertragung 111
 - Fenstergröße 63
 - Fernmeldegeheimnis 217
 - FIFO 203, 208
 - Filtermöglichkeiten 226
 - Firewall 108
 - Flow Sequence 163
 - Flow-Sequenzen 259
 - Flusskontrolle 63
 - FQ 211
 - Fritzbox 235
 - FROM 123

 - G
 - G.114 194
 - G.711 77, 78, 83
 - G.722 82, 83
 - G.723 84
 - G.726 85
 - G.728 85
 - G.729 85

 - H
 - H.323 26, 72
 - Hackerparagraph 217
 - Hauptverkehrsstunde 190
 - HD-CODEC 82
 - HD-Telefonie 84
 - Header 17, 45, 122
 - HOLD 265
 - Hostanteil 43

 - I
 - IANA 28, 57
 - ICANN 28
 - IEEE 29
 - IETF 27
 - IM 119
 - INFO 119
 - Instant-Meldung 119
 - Institute of Electrical and Electronics Engineers Inc. 29
 - International Organization for Standardization 29
 - International Telecommunications Union 26, 72
 - Internet Assigned Number Authority 28
 - Internet Corporation for Assigned Names and Numbers 28
 - Internet Engineering Task Force 27
 - Internet Facsimile Protocol 113
 - INVITE 117, 146, 147
 - IP-Address 46
 - IP-Adresse 43, 46
 - IP-Arbeitsweise 44
 - IP-Header 45
 - IP-Host 43
 - IP-Netz 18
 - IPv4 46
 - ISDN 73
 - ISO 29
 - ITU-T 26, 72

- J**
Jitter 65, 66, 78
Jitter-Buffer 198
Jitter-Speicher 198
- K**
Klasse-C-Netz 48
Kodierer 76
- L**
L3-Switch 38
Layer 31
Lease Time 53
Leitungsvermittlung 15, 20, 23, 42
Location-Server 99
Location-Service 98
- M**
MAC-Adressen 36
MAX-FORWARDS 125
Maximum
 Transmission Unit 205
MBZ 212
Mean Opinion Score 81
Media Description 157
Mediendatenstrom 59, 153
Medientransport 88
MESSAGE 119, 150
Message-Body 128, 147
Message Session Relay Protocol 150
MODEM 111
- Monitor-Port 248
MOS 81
MOS-Wert 81, 195
MSRP 150
MTU 205
Multicast 48
Multimediatdaten 87
- N**
NAPT 172
NAT 50, 171
NAT-Prozess 173
National Destination Code 92
NDC 92
Negation 229
Network Address 172
Network Address Translation 50, 171
Netz-ID 47
Netzadresse 48
Netzadressenanteil 47
Netzanteil 43
Netzklassen 47
Netzmaske 49
Netzwerk-Sniffer 215
Next Generation Network 19
NGN 19, 87
NOTIFY 118, 133, 149
- O**
ODER 229
Offline-Analyse 222
Online-Analyse 222
Open System of Interconnection 31
- Option 66 55
OPTIONS 117, 119
OSI-Modell 31, 35, 42
Over-Provisioning 202
- P**
P.800 82
P.862 195
Packet Switch System 16
Paket Loss 199
Paket-Bytes 221
Paket-Details 220
Paketierung 16, 77
Paketliste 220
Paketverluste 194, 199
Paketvermittlung 18, 21
Parametrierung 237
PAT 172
PCM 79
PCM8000 79
Per Hop Behaviour 213
Pflichtfelder 122
PHB 213
Ping 224
Port Address Translation 172
Port-Adressen 39, 55, 56, 179
Port-Forwarding 175
Port-Nummern 55
PQ 210
PRACK 117
Pre-Shared-Key 138
Precedence 212

-
- Priorisierung 202, 205
 - Priority Queueing 210
 - private IP-Adresse 49
 - Promiskuitive Modus 218
 - Protokoll 17
 - Protokoll-Header 42
 - Provisional
 - Acknowledgement 117
 - Provisionierung 51
 - Provisioning 51
 - Provisioning-Server 51, 108
 - Provisorische
 - Meldungen 118
 - PSK 138
 - PSTN 16, 101, 107
 - Public Switched
 - Telefon Network 16
 - PUBLISH 119, 149

 - Q**
 - QoS 187, 202
 - Qualität 187, 202
 - Qualitätssicherung 189
 - Quality of Service 197, 202

 - R**
 - received 182
 - Redirect-Server 104
 - REFER 105, 118
 - REGISTER 116, 120, 136
 - Registered Ports 57
 - Registrar 97, 99
 - Registrierung 97, 134, 250
 - Request 94, 115
 - Request for Comment 27
 - Request-Response-Prinzip 115
 - Response 94, 115, 119
 - RFC 27
 - RFC 1349 212, 213
 - RFC 1812 212, 213
 - RFC 1918 49, 171
 - RFC 2132 50, 55
 - RFC 2327 128
 - RFC 2474 212, 213
 - RFC 2543 89
 - RFC 2976 119
 - RFC 3261 89, 116, 117, 129
 - RFC 3262 117
 - RFC 3264 154
 - RFC 3311 119
 - RFC 3428 119
 - RFC 3515 104, 118, 149
 - RFC 3550 64
 - RFC 3605 66
 - RFC 3680 149
 - RFC 3856 149
 - RFC 3903 119
 - RFC 4235 149
 - RFC 4566 153
 - RFC 4575 149
 - RFC 4961 185
 - RFC 6665 118
 - RFC 7616 140
 - RFC 768 59
 - RFC 791 44
 - RFC 793 61
 - RFC 8760 140
 - RFC 8866 153
 - Router 17, 37
 - Routing 17
 - rport 152, 182
 - RTCP-Port 66
 - RTP 64, 66, 69
 - RTP-Verbindung 147

 - S**
 - Schichtenmodelle 30
 - SDP 128, 153
 - Sender-Report 67
 - Sequenznummer 64, 65
 - Server 93
 - serverseitige Ports 57
 - Service Level
 - Agreements 189
 - Session 72
 - Session Description 157
 - Session Description
 - Protocol 117, 128
 - Session Initiation
 - Protocol 27, 87
 - Session Initiation
 - Protocol for Instant Messaging and Presence Leveraging Extensions 148
 - Session-Aufbau 146
 - Sicherungsschicht 36
 - Signalisierungsprotokolle 88

- Signallaufzeit 196
- SIMPLE 148
- SIP 27, 72, 76
- SIP Event Package 133
- SIP-Account 91, 92
- SIP-Adresse 90, 92
- SIP-Analyse 164
- SIP-Applikationen 94
- SIP-Architektur 96
- SIP-Contact 252
- SIP-Dialog 131, 149
- SIP-Domain 91, 97
- SIP-Firewall 107
- SIP-Gateway 107
- SIP-Header 122
- SIP-Hops 125
- SIP-Nachrichten 121
- SIP-Proxy 101
- SIP-Registrar 97
- SIP-Response 119
- SIP-Route 125
- SIP-Standards 89
- SIP-Textnachrichten 150
- SIP-Weg 124
- SLA 189
- SN 92
- Socket 58
- Softphone 248
- Spiegel-Port 248
- Standardgateway 50
- Stateful Proxy 103
- Stateless Proxy 104
- Steuerung 88
- STUN 178
- STUN-Binding-Request 178
- STUN-Binding-Response 178
- STUN-Client 178
- STUN-Server 178
- STUN-Service 178, 272
- Subnet Mask 49
- Subnetzmaske 49
- SUBSCRIBE 118, 149
- Subscriber Number 92
- Symmetric Response Routing 182
- Symmetric-RTP 185
- T**
- T.37 112
- T.38 113
- Tag-Control-Information 205
- Tagging 205
- TCI 205
- TCP 39, 43, 55, 61
- TCP-Protokoll-Header 61
- Telefoniegeräte 242
- Telefonnummer 92, 98
- TFTP 109
- TFTP-Server 55
- Time to Live 45
- Time-Division-Multiplex-System 16
- TO 124
- TOS 212
- TPID 205
- Transaction Identifier 53
- Transaction-ID 129
- Transaktion 94, 125, 126, 129
- TRANSFER 267
- Translation 171
- Transport Control Protocol 55, 61
- Transportschicht 38
- Type 155
- Type of Service 211
- U**
- UA 94
- UA-C 94
- UA-Client 94, 116, 123, 129
- UA-Server 94, 116, 124
- UA-Typ 252
- Überdimensionierung 202
- UDP 39, 43, 55, 59
- UND 229
- Unicast-Adressen 48
- Uniform Ressource Indicator 90
- UPDATE 119
- URI 90
- User Agent 94, 95, 97, 134
- User Datagram Protocol 43, 55
- User Priorität 206
- V**
- Value 155
- Verbindungsabbau 22
- Verbindungsaufbau 22, 134

- verbindungslose
 - Kommunikation
 - 21, 24
 - verbindungslose
 - Vermittlung 44
 - verbindungsorientiert
 - 23
 - verbindungsorientierte
 - Kommunikation
 - 21, 94, 115
 - Verfügbarkeit 201
 - Verkehrsausscheid-
ziffer 92
 - Verkehrsklassen 206,
210
 - Verlustrate 194
 - Vermittlung 14, 37
 - Vermittlungsprinzipien
 - 42
 - Vermittlungsschicht
 - 37
 - Verständlichkeit 81,
195
 - Verzögerung 193
 - Verzögerungsdauer
 - 198
 - VIA 124
 - Via-Feld 124, 252
 - VID 206
 - Virtual LAN 29, 193,
203
 - VLAN 29, 203
 - VLAN-Struktur 205
 - VLAN-Tag 205
 - Voice over Internet
Protocol 43
 - VoIP 43
 - VoIP-Telefon 96
- W**
- Warteschlangen-
management 197,
209, 210
 - Weighted Fair
Queueing 211
 - Weitverkehrsnetze 13
 - Well Known Ports 57
 - WFQ 211
 - Wide Area Network
 - 13
 - Wireshark 35, 169,
215
 - WWW-Authenticate
 - 139
- Z**
- z9hG4bK 125
 - Zeitmultiplexverfahren
 - 16
 - Ziel-Socket 59
 - zufällig 133